

PERFECT FIT SOFTSHADE SPECIFICATION

The Perfect Fit Softshade Roller collection is available with chain control system.

The perfect fit system removes the need for screws/holes being drilled into the window frames or doors.


Perfect Fit Softshade Roller blinds are manufactured using all the fabrics from the Softshade Roller collection.


#### **FRAME**

Aluminium frame with corner caps to match.

#### 6 frame colours available:

White, Brown, Anthracite, Mahogany and Black.







#### **CORNER CAPS**

Available in White, Brown, Anthracite and Black.





BLACK





FRAME COLOUR	CORNER CAP COLOUR	BRACKETS COLOUR
White	White	White
Brown	Brown	Brown
Mahogany	Brown	Brown
Anthracite	Anthracite	Anthracite
Black	Black	Black

#### **ROLLER TUBE**

Aluminium

#### **ROLLER TUBE SIZE**

25mm

MIN WIDTH	MAX WIDTH		
200mm	1500mm		

MIN DROP	MAX DROP		
500mm	2000mm*		

Max drop is dependent on fabric. Min/max sizes are based on glass size.

\*For Konnect recommended maximum drop is 1400mm.

## CONTROLS AVAILABLE

Chain available - 400mm continuous plastic chain

#### **CHAIN CONTROL**

Right or Left

Operating Chain colour will match corner cap colour.

#### **CHILD SAFETY DEVICE**



Chain Tidy

### **INSTALLATION**

Perfect Fit Blinds can be fitted using fixing brackets or konnect magnetic strips. Universal frame option for face fixing outside of a recess.

#### SIDE FRAMES

Two holes are punched into the side frames. Window fixing brackets attach the blind to the window. Anything over 1100mm drop there will be three holes punched.

#### **FIXING BRACKETS**

Fixing brackets come along with the blind to fit the blind into the window space.

Window fixing brackets come in 9 sizes: 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 38mm.

**Colours available:** White, Brown, Black and Anthracite.

DROP	<1100	>1100
NO OF FIXING BRACKETS	4	6









#### KONNECT MAGNETIC STRIPS

Magnetic strips fit the blind into the window space. The blind frame and window frame will need cleaned with alcohol wipe to clear away any dirt to ensure strips will stick.

Please note: For Konnect max size available 1400mm x 1400mm



### **CORNER JOINTS**

Four corner joints hold the frame together.

**Colours available:** White, Brown, Anthracite and Black.




### **HANDLE INSERT**

Handle insert are available in White, Brown, Anthracite and Black to provide clearance of any window handles.



Handle Insert position must be supplied at point of order.



### PERFECT FIT UNIVERSAL

Perfect Fit Universal frame allows you to fit your blind outside of the window reccess.

**Available in 2 colours:** White and Anthracite.





## FABRICS AVAILABLE FOR PERFECT FIT SOFTSHADE ROLLER

		MAX DROP AVAILABLE			MAX DRO AVAILABI
Luna	Pure	1800mm	Rift	Hint	1400mm
Luna	Hush	1800mm	Rift	Dream	1400mm
Luna	Crème	1800mm	Rift	Camel	1400mm
Luna	Shadow	1800mm	Rift	Hessian	1400mm
Luna	Mist	1800mm	Rift	Coffee	1400mm
Luna	Jet	1800mm	Rift	Fossil	1400mm
Nobis	Glimpse	2000mm	Rosso	Truth	2000mm
Nobis	Mute	2000mm	Rosso	Touch	2000mm
Nobis	Sabo	2000mm	Rosso	Clay	2000mm
Nobis	Raven	2000mm	Rosso	Rock	2000mm
Nobis	Chiffon	2000mm	Rosso	Nori	2000mm
Nobis	Mode	2000mm			
Nobis	Boutique	2000mm	Kanza	Seek	1500mm
Nobis	Obsession	2000mm	Kanza	Calm	1500mm
			Kanza	Haze	1500mm
Hoxton	Breathe	2000mm	Kanza	Novo	1500mm
Hoxton	Roast	2000mm			
Hoxton	Monument	2000mm	Tela	Espri	1800mm
Hoxton	Earth	2000mm	Tela	Mist	1800mm
			Tela	Silk	1800mm
Mero	Musk	1400mm			
Mero	Lustre	1400mm			
Mero	Sterling	1400mm			
Mero	Flint	1400mm			

Mero

Mero

Mocca

Lesso

1400mm

1400mm

#### **WARRANTY**

Softshade Blinds are covered by a 12 month guarantee from the date of delivery based on the following points:

- 1) The product has not been altered/adjusted or customised post production.
- 2) The product has not been affected through installation by any third party.
- 3) The product order does not sit outside Decora's recommended specification.

Any defective blinds must be detailed to Decora accompanied with photos showing defects. Any remake or repair will be subject to stock conditions and alternatives may be used if and where necessary.

\*Fabric flaws visable from 1m will be deemed as unacceptable.